



CATALOGUE

Subcold Pro 4L Mini Fridge

Colour

Black / Blue / Grey / Pink / White



Model	PRO4
Cooling System	Thermoelectric Cooler
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	4L
Noise (dB)	28dB
External Dimension	19.2Wx25.5Dx26.8H (cm)
Internal Dimension	13.5Wx15.1Dx20.2H (cm)
Packing Dimension	27.4Wx19.6Dx27.8H (cm)
Gross Weight	1.95KG
Net Weight	1.6KG
No of Shelf	1
Door Material	Plastic
Input power AC (W)	20W
Input power USB (W)	6.5W
Voltage range	AC 100-240V
Certification	CE,ROHS ,UKCA
Plugs included	USB cord and UK AC adaptor 9v3A
Warranty	1-Year

BUY NOW



Subcold Pro 6L Mini Fridge

Colour

Black / Pink / Blue / White / Grey / Chequered Grey / Chequered Black / Chequered White



Model	PRO6
Cooling System	Thermoelectric Cooler
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	6L
Noise (dB)	28dB
External Dimension	20.8Wx25.5Dx32.2H (cm)
Internal Dimension	13.8Wx15.2Dx23.8H (cm)
Packing Dimension	27.6Wx21.9Dx33.8H (cm)
Gross Weight	2.45KG
Net Weight	2.0KG
No of Shelf	1
Door Material	Plastic
Input power AC (W)	20W
Input power USB (W)	6.5W
Voltage range	AC 100-240V / DC5V USB
Certification	CE,ROHS ,UKCA
Plugs included	USB cord and UK AC adaptor 9v3A
Warranty	1-Year

BUY NOW



Subcold Pro 10L Mini Fridge

Colour

Black / White / Grey / Chequered Grey / Chequered Black / Chequered White



Model	PRO10
Cooling System	Thermoelectric Cooler
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Energy Class	E
Net Volume	10L
Noise (dB)	35dB
External Dimension	24.3Wx30.0Dx36.5H (cm)
Internal Dimension	18.3Wx16.9Dx27.8H (cm)
Packing Dimension	35.5Wx28.3Dx39.8H (cm)
Gross Weight	4.35KG
Net Weight	3.3KG
No of Shelf	2
Door Material	Glass
Input power AC (W)	35W
Input power DC (W)	29W
Voltage range	AC 100-240V / DC12V
Certification	CE,ROHS ,UKCA
Plugs included	DC cord and UK AC adaptor 12V4A
Warranty	1-Year

BUY NOW



Subcold Pro 15L Mini Fridge

Colour

Black / White / Grey / Chequered Grey / Chequered Black / Chequered White



Model	PRO15
Cooling System	Thermoelectric Cooler
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Energy Class	E
Net Volume	15L
Noise (dB)	35dB
External Dimension	26.6Wx36.7Dx41H (cm)
Internal Dimension	20.4Wx20.7Dx32H (cm)
Packing Dimension	39.5Wx31.3Dx45.8H (cm)
Gross Weight	5.7KG
Net Weight	4.9KG
No of Shelf	2
Door Material	Glass
Input power AC (W)	35W
Input power DC (W)	29W
Voltage range	AC 100-240V / DC12V
Certification	CE,ROHS ,UKCA
Plugs included	DC cord and UK AC adaptor 12V4A
Warranty	1-Year

BUY NOW

Subcold Ultra 6L Mini Fridge

Colour

Black / Grey / White / Pink



Model	Ultra6
Cooling System	Thermoelectric Cooler & Warmer
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	6L
Noise (dB)	30dB
External Dimension	20.8Wx27.5Dx30.3H (cm)
Internal Dimension	14Wx14.8Dx24H (cm)
Packing Dimension	31Wx24.8Dx34.0H (cm)
Gross Weight	3.25KG
Net Weight	2.75KG
No of Shelf	1
Door Material	Glass
Input power AC (W)	20W/15W
Input power USB (W)	7.5W/6.5W
Voltage range	AC 100-240V
Certification	CE, ROHS, UKCA
Plugs included	USB cord and UK AC adaptor 9v3A
Warranty	1-Year

BUY NOW

Subcold Ultra Range



Subcold Ultra 10L Mini Fridge

Colour

Black / Grey / White



Model	Ultra10
Cooling System	Thermoelectric Cooler & Warmer
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	10L
Energy Class	E
Noise (dB)	35dB
External Dimension	24.5Wx29Dx34H (cm)
Internal Dimension	18.2Wx17.3Dx27.7H (cm)
Packing Dimension	33.1Wx28.0Dx37.5H (cm)
Gross Weight	4.15KG
Net Weight	3.5KG
No of Shelf	2
Door Material	Glass
Input power AC (W)	35W/28W
Input power USB (W)	29W/22W
Voltage range	AC 100-240V / DC12V
Certification	CE, ROHS, UKCA
Plugs included	DC cord and UK AC adaptor 12V4A
Warranty	1-Year

BUY NOW

Subcold Ultra Range



Subcold Ultra 15L Mini Fridge

Color

Black / Grey / White



Model	ULTRA15
Cooling System	Thermoelectric Cooler & Warmer
Temperature Range	18°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	15L
Energy Class	E
Noise (dB)	35dB
External Dimension	26.9Wx33.2Dx38H (cm)
Internal Dimension	20.5Wx20.5Dx32H (cm)
Packing Dimension	37.5Wx31.0Dx43.5H (cm)
Gross Weight	5.6KG
Net Weight	4.85KG
No of Shelf	2
Door Material	Glass
Input power AC (W)	35W/28W
Input power USB (W)	29W/22W
Voltage range	AC 100-240V / DC12V
Certification	CE, ROHS, UKCA
Plugs included	DC cord and UK AC adaptor 12V4A
Warranty	1-Year

BUY NOW



Subcold Style 4L Mini Fridge

Color

Black / Grey / White



Model	STYLE4
Cooling System	Semiconductor refrigeration components
Temperature Range	$\geq 15^{\circ}\text{C}$ (Circumstance temperature 25°C)
Climate Class	SN/N
Net Volume	4L
Noise (dB)	40dB
External Dimension	178Wx250Dx254H (mm)
Internal Dimension	135Wx140Dx202H (mm)
Packing Dimension	295Wx209Dx295H (mm)
Gross Weight	2.32kg
Net Weight	1.9kg
No of Shelf	1
Door Material	PP
Input power (W)	36w
Certification	GS/CE/RoHS
Plugs included	BS
Warranty	1-Year

BUY NOW



Luxe 9L Mini Fridge

Color

Black / Grey / White



Model	LUXE9
Cooling System	Semiconductor refrigeration components
Temperature Range	≥ 15°C (Circumstance temperature 25°C)
Climate Class	SN/N
Net Volume	9L
Noise (dB)	40dB
External Dimension	248Wx364Dx289H (mm)
Internal Dimension	180Wx273Dx164H (mm)
Packing Dimension	323Wx277Dx398H (mm)
Gross Weight	4.1kg
Net Weight	3.1kg
No of Shelf	2
Door Material	PVC
Input power (W)	55W
Certification	CB/UKCA/CE/RoHS
Plugs included	BS
Warranty	1-Year

BUY NOW

Vanity 6 Cosmetic Fridge



Model	Vanity6
Cooling System	Thermoelectric Cooler & Warmer
Temperature Range	15°C below ambient temperature at 25 °C
Climate Class	SN/N
Net Volume	6L
Noise (dB)	28dB
External Dimension	19.3Wx23.7Dx34.0H (mm)
Internal Dimension	13.8Wx15.9Dx23.5H (mm)
Packing Dimension	36.9Wx25.5Dx22.2H (mm)
Gross Weight	2.75KG
Net Weight	1.75KG
No of Shelf	1
Door Material	Plastic
Input power AC (W)	18W
Input power USB (W)	6.5W
Voltage range	AC 100-240V / DC5V USB
Certification	CE,ROHS ,UKCA
Plugs included	USB cord and UK AC adaptor 9v3A
Warranty	1-Year

BUY NOW



Subcold Eco50 Mini Fridge - Black



Model	ECO50
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	45L
Energy Class	E
Noise (dB)	39dB
External Dimension	444Wx485Dx495H (mm)
Internal Dimension	380Wx406Dx404H (mm)
Gross Weight	17.1kg
Net Weight	15kg
No of Shelf	1
Door Material	SPCC
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	18g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Eco50 Mini Fridge - White



Model	ECO50
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	45L
Energy Class	E
Noise (dB)	39dB
External Dimension	444Wx485Dx495H (mm)
Internal Dimension	380Wx406Dx404H (mm)
Gross Weight	17.1kg
Net Weight	15kg
No of Shelf	1
Door Material	SPCC
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	18g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Eco75 Table Top Fridge - Black



Model	ECO75
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	74L
Energy Class	E
Noise (dB)	41dB
External Dimension	486Wx500Dx627H (mm)
Internal Dimension	413Wx414Dx523H (mm)
Gross Weight	20.4kg
Net Weight	18.2kg
No of Shelf	2
Door Material	SPCC
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	23g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Eco75 Table Top Fridge - White



Model	ECO75
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	74L
Energy Class	E
Noise (dB)	41dB
External Dimension	486Wx500Dx627H (mm)
Internal Dimension	413Wx414Dx523H (mm)
Gross Weight	20.4kg
Net Weight	18.2kg
No of Shelf	2
Door Material	SPCC
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	23g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Eco100 LED Under Counter Fridge - Black



Model	ECO100
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	95L
Energy Class	E
Noise (dB)	40dB
External Dimension	486Wx536Dx833H (mm)
Internal Dimension	402Wx429Dx729H (mm)
Gross Weight	26.9kg
Net Weight	23.9kg
No of Shelf	3
Door Material	SPCC
Lighting (W)	1W
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Eco100 LED Under Counter Fridge - White



Model	ECO100
Cooling System	Refrigerator
Temperature Range	0-8°C
Climate Class	SN/N/ST
Net Volume	95L
Energy Class	E
Noise (dB)	40dB
External Dimension	486Wx536Dx833H (mm)
Internal Dimension	402Wx429Dx729H (mm)
Gross Weight	26.9kg
Net Weight	23.9kg
No of Shelf	3
Door Material	SPCC
Lighting (W)	1W
Input power (W)	60W
Wattage (W)	40W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire20 LED Mini Fridge - Black



Model	Aire20
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	N
Net Volume	20
Energy Class	E
Noise (dB)	40
External Dimension	400Wx422Dx352H (mm)
Internal Dimension	342Wx256Dx262H (mm)
Packing Dimension	448Wx470Dx394H (mm)
Gross Weight	8.85kg
Net Weight	7.5kg
No of Shelf	1
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	55W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire20 LED Mini Fridge - White



Model	Aire20
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	N
Net Volume	20
Energy Class	E
Noise (dB)	40
External Dimension	400Wx422Dx352H (mm)
Internal Dimension	342Wx256Dx262H (mm)
Packing Dimension	448Wx470Dx394H (mm)
Gross Weight	8.85kg
Net Weight	7.5kg
No of Shelf	1
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	55W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire30 LED Mini Fridge - Black



Model	Aire30
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	N
Net Volume	30
Energy Class	E
Noise (dB)	35
External Dimension	400Wx398Wx480H (mm)
Internal Dimension	325Wx226Dx390H (mm)
Packing Dimension	448Wx450Dx535H (mm)
Gross Weight	10.2kg
Net Weight	9.0kg
No of Shelf	2
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	55W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire30 LED Mini Fridge - White



Model	Aire30
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	SN-N
Net Volume	30
Energy Class	E
Noise (dB)	35
External Dimension	400Wx398Dx480H (mm)
Internal Dimension	325Wx226Dx390H (mm)
Packing Dimension	448Wx450Dx535H (mm)
Gross Weight	10.2kg
Net Weight	9.0kg
No of Shelf	2
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	55W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire40 LED Mini Fridge - Black



Model	Aire40
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	N
Net Volume	40
Energy Class	E
Noise (dB)	40
External Dimension	400Wx422Dx530H (mm)
Internal Dimension	342Wx256Dx440H (mm)
Packing Dimension	448Wx470Dx570H (mm)
Gross Weight	10.5kg
Net Weight	9.5kg
No of Shelf	2
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	65W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Aire40 LED Mini Fridge - White



Model	Aire40
Cooling System	Electronic chip refrigeration
Temperature Range	3-15 °C
Climate Class	SN-N
Net Volume	40
Energy Class	E
Noise (dB)	35
External Dimension	400Wx422Dx530H (mm)
Internal Dimension	342Wx256Dx440H (mm)
Packing Dimension	448Wx470Dx570H (mm)
Gross Weight	10.5kg
Net Weight	9.5kg
No of Shelf	2
Door Material	plastic
Lighting (W)	< 1W
Input power (W)	65W
Lock and Key	Yes
Certification	UKCA/ERP/CE
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Cave 50 Solid Door Beer Fridge



Model	CAVE50-BL
Cooling System	Direct Cooling
Temperature Range	0-8°C
Climate Class	N/SN
Net Volume	42L
Energy Class	E
Noise (dB)	39dB
External Dimension	450Wx450Dx510H (mm)
Internal Dimension	380.5Wx333Dx419H (mm)
Packing Dimension	500Wx500Dx525H (mm)
Gross Weight	17kg
Net Weight	15.5kg
No of Shelf	2
Door Material	PCM matt
Lighting (W)	1.2w
Input power (W)	60w
Refrigerant gas	R600a
Refrigerant grams	12g
Lock and Key	No
Certification	CE&ERP&UKCA&ROHS
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Cave 60 Solid Door Beer Fridge



Model	CAVE60-BL
Cooling System	Direct Cooling
Temperature Range	0-8°C
Climate Class	N/SN
Net Volume	54L
Energy Class	E
Noise (dB)	39dB
External Dimension	450Wx450Wx630H (mm)
Internal Dimension	380.5Wx333Dx526H (mm)
Packing Dimension	500Wx500Dx640H (mm)
Gross Weight	18.8kg
Net Weight	17kg
No of Shelf	2
Door Material	PCM matt
Lighting (W)	1.2w
Input power (W)	60w
Refrigerant gas	R600a
Refrigerant grams	17g
Lock and Key	No
Certification	CE&ERP&UKCA&ROHS
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 35 LED Beer Fridge - Black



Model	SUPER35LED-BL
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	33L
Energy Class	C
Noise (dB)	42dB
External Dimension	550Wx402Dx430H (mm)
Internal Dimension	311Wx328Dx441H (mm)
Packing Dimension	526Wx493Dx590H (mm)
Gross Weight	18KG
Net Weight	16.2KG
No of Shelf	2
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	17g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 35 LED Beer Fridge - Silver



Model	SUPER35LED-SV
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	33L
Energy Class	C
Noise (dB)	42dB
External Dimension	550Wx402Dx430H (mm)
Internal Dimension	311Wx328Dx441H (mm)
Packing Dimension	526Wx493Dx590H (mm)
Gross Weight	18KG
Net Weight	16.2KG
No of Shelf	2
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	17g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 50 LED Beer Fridge - Black



Model	SUPER50LED-BL
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	46L
Energy Class	E
Noise (dB)	42dB
External Dimension	440Wx470Dx530H (mm)
Internal Dimension	345.8Wx385.7Dx416.8H (mm)
Packing Dimension	528Wx545Dx570H (mm)
Gross Weight	19.4KG
Net Weight	17.8KG
No of Shelf	3
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 50 LED Beer Fridge - Silver



Model	SUPER50LED-SV
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	46L
Energy Class	E
Noise (dB)	42dB
External Dimension	440Wx470Dx530H (mm)
Internal Dimension	345.8Wx385.7Dx416.8H (mm)
Packing Dimension	528Wx545Dx570H (mm)
Gross Weight	19.4KG
Net Weight	17.8KG
No of Shelf	3
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 50 LED Beer Fridge - Stainless Steel



Model	SUPER50LED-SS
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	46L
Energy Class	E
Noise (dB)	42dB
External Dimension	440Wx470Dx530H (mm)
Internal Dimension	345.8Wx385.7Dx416.8H (mm)
Packing Dimension	528Wx545Dx570H (mm)
Gross Weight	20.2KG
Net Weight	18.2KG
No of Shelf	3
Door Material	Stainless Steel/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 65 LED Beer Fridge - Black



Model	SUPER65LED-BL
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	60L
Energy Class	D
Noise (dB)	42dB
External Dimension	470Wx440Dx635H (mm)
Internal Dimension	385Wx349Dx523H (mm)
Packing Dimension	549Wx513Dx680H (mm)
Gross Weight	22.5KG
Net Weight	20KG
No of Shelf	3
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 65 LED Beer Fridge - Silver



Model	SUPER65LED-SV
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	60L
Energy Class	D
Noise (dB)	42dB
External Dimension	470Wx440Dx635H (mm)
Internal Dimension	385Wx349Dx523H (mm)
Packing Dimension	549Wx513Dx680H (mm)
Gross Weight	22.5KG
Net Weight	20KG
No of Shelf	3
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 85 LED Beer Fridge - Black



Model	SUPER85LED-BL
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	80L
Energy Class	E
Noise (dB)	41dB
External Dimension	474Wx440Dx840H (mm)
Internal Dimension	396Wx351Dx733H (mm)
Packing Dimension	545Wx585Dx910H (mm)
Gross Weight	30KG
Net Weight	25KG
No of Shelf	4
Door Material	Plastic/Glass
Lighting (W)	10W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 85 LED Beer Fridge - Silver



Model	SUPER85LED-SV
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	80L
Energy Class	E
Noise (dB)	41dB
External Dimension	474Wx440DxX840H (mm)
Internal Dimension	396Wx351Dx733H (mm)
Packing Dimension	545Wx585Dx910H (mm)
Gross Weight	30KG
Net Weight	25KG
No of Shelf	4
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 85 LED Beer Fridge - Stainless Steel



Model	SUPER85LED-SS
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	80L
Energy Class	E
Noise (dB)	41dB
External Dimension	474Wx440Dx840H (mm)
Internal Dimension	396Wx351Dx733H (mm)
Packing Dimension	545Wx585Dx910H (mm)
Gross Weight	30.5KG
Net Weight	25.5KG
No of Shelf	4
Door Material	Stainless Steel/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super 115 LED Beer Fridge - Black



Model	SUPER115LED-BL
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	80L
Energy Class	E
Noise (dB)	41dB
External Dimension	540Wx539Dx847H (mm)
Internal Dimension	450Wx453Dx731H (mm)
Packing Dimension	630Wx630Dx905H (mm)
Gross Weight	36KG
Net Weight	32KG
No of Shelf	4
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Super115 LED Beer Fridge - Stainless Steel



Model	SUPER115LED-SS
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	80L
Energy Class	E
Noise (dB)	41dB
External Dimension	540Wx539Dx847H (mm)
Internal Dimension	450Wx453Dx731H (mm)
Packing Dimension	630Wx630Dx905H (mm)
Gross Weight	36.6KG
Net Weight	32.6KG
No of Shelf	4
Door Material	Stainless Steel/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	20g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Ace 50 LED Touch Control Beer Fridge



Model	ACE50LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	46L
Energy Class	E
Noise (dB)	42dB
External Dimension	430Wx480Dx515H (mm)
Internal Dimension	368.8Wx394.6Dx424H (mm)
Packing Dimension	570Wx510Dx580H (mm)
Gross Weight	23.96KG
Net Weight	20.26KG
No of Shelf	2
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	17g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Ace 65 LED Touch Control Beer Fridge



Model	ACE65LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	62L
Energy Class	E
Noise (dB)	41dB
External Dimension	430Wx480Dx645H (mm)
Internal Dimension	356Wx393.6Dx541H (mm)
Packing Dimension	570Wx510Dx710H (mm)
Gross Weight	26.21KG
Net Weight	21.96KG
No of Shelf	3
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Ace 90 LED Touch Control Beer Fridge



Model	ACE90LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	88L
Energy Class	E
Noise (dB)	39dB
External Dimension	430Wx480Dx835H (mm)
Internal Dimension	356Wx393.6Dx726H (mm)
Packing Dimension	570Wx510Dx895H (mm)
Gross Weight	30.23KG
Net Weight	25.78KG
No of Shelf	4
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Ace 100 LED Touch Control Beer Fridge



Model	ACE100LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	95L
Energy Class	E
Noise (dB)	40dB
External Dimension	480Wx470Dx840H (mm)
Internal Dimension	405Wx370Dx733H (mm)
Packing Dimension	555Wx555Dx935H (mm)
Gross Weight	35.28KG
Net Weight	28.43KG
No of Shelf	4
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	36g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Ace 130 LED Touch Control Beer Fridge



Model	ACE130LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	128L
Energy Class	E
Noise (dB)	42dB
External Dimension	540Wx540Dx835H (mm)
Internal Dimension	464.9Wx441Dx723H (mm)
Packing Dimension	621Wx637Dx925H (mm)
Gross Weight	40.83KG
Net Weight	32.93KG
No of Shelf	4
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	33g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS

BUY NOW



Subcold Ace 100 LED Touch Control Beer Fridge



Model	ACE100LED-BL
Cooling System	Direct-cooling
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	95L
Energy Class	E
Noise (dB)	40dB
External Dimension	480Wx470Dx840H (mm)
Internal Dimension	405Wx370Dx733H (mm)
Packing Dimension	555Wx555Dx935H (mm)
Gross Weight	35.28KG
Net Weight	28.43KG
No of Shelf	4
Door Material	Glass/Plastic
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	36g
Lock and Key	Yes
Certification	CE (LVD,EMC,ERP), ROHS,REACH
Plugs included	BS
Warranty	1-Year

BUY NOW



Barcool VINO 6 Wine Cooler



Model	VINO6-BL
Cooling System	Thermoelectric
Temperature Range	5-18°C
Climate Class	N
Net Volume	17L / 6 bottles
Energy Class	E
Noise (dB)	35dB
External Dimension	265Wx515Dx393H (mm)
Internal Dimension	174Wx340Dx268H (mm)
Packing Dimension	334Wx580Dx456H (mm)
Gross Weight	11.4KG
Net Weight	9.4KG
No of Shelf	1
Door Material	Plastic/Glass
Lighting (W)	0.5W
Input power (W)	58W
Lock and Key	No
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Barcool VINO 8 Wine Cooler



Model	VINO8-BL
Cooling System	Thermoelectric
Temperature Range	5-18°C
Climate Class	N
Net Volume	19L / 8 bottles
Energy Class	F
Noise (dB)	23dB
External Dimension	265Wx510Dx457H (mm)
Internal Dimension	175Wx333Dx350H (mm)
Packing Dimension	315Wx565Dx525H (mm)
Gross Weight	13KG
Net Weight	11.2KG
No of Shelf	1
Door Material	Plastic/Glass
Lighting (W)	0.5W
Input power (W)	58W
Lock and Key	No
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Barcool VINO 12 Wine Cooler



Model	VINO12-BL
Cooling System	Thermoelectric
Temperature Range	5-18°C
Climate Class	N
Net Volume	33L / 12 bottles
Energy Class	F
Noise (dB)	25dB
External Dimension	345Wx515Dx480H (mm)
Internal Dimension	265Wx335Dx356H (mm)
Packing Dimension	416Wx566Dx535H (mm)
Gross Weight	14.5KG
Net Weight	13KG
No of Shelf	1
Door Material	Plastic/Glass
Lighting (W)	0.5W
Input power (W)	58W
Lock and Key	No
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Viva16 LED - Wine Cooler



Model	VIVA16 LED
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	42L / 16 bottles
Energy Class	G
Noise (dB)	41
External Dimension	430Wx450Dx560H (mm)
Internal Dimension	334Wx357Dx427H (mm)
Packing Dimension	505Wx525Dx600H (mm)
Gross Weight	20.5KG
Net Weight	18.65KG
No of Shelf	3+1
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	21g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Viva20 LED - Wine Cooler



Model	VIVA20 LED
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	53L/20bottles
Energy Class	G
Noise (dB)	42
External Dimension	430Wx450Dx638H (mm)
Internal Dimension	345Wx357Dx526H (mm)
Packing Dimension	505Wx525Dx680H (mm)
Gross Weight	21.8KG
Net Weight	19.7KG
No of Shelf	4+1
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	21g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Viva24 LED - Wine Cooler



Model	VIVA24 LED
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	63L / 24 bottles
Energy Class	G
Noise (dB)	45
External Dimension	430Wx450Dx740H (mm)
Internal Dimension	343Wx330Dx626H (mm)
Packing Dimension	502Wx525Dx780H (mm)
Gross Weight	25.2KG
Net Weight	22.6KG
No of Shelf	5+1
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	21g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Viva 28 LED - Wine Cooler



Model	VIVA28 LED
Cooling System	Compressor
Temperature Range	3°C-18°C
Climate Class	N
Net Volume	74L/28bottles
Energy Class	G
Noise (dB)	39
External Dimension	430Wx450Dx841H (mm)
Internal Dimension	345Wx357Dx716H (mm)
Packing Dimension	520Wx540Dx888H (mm)
Gross Weight	29.7
Net Weight	24.7KG
No of Shelf	6+1
Door Material	Plastic/Glass
Lighting (W)	1W
Input power (W)	85W
Refrigerant gas	R600a
Refrigerant grams	21g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW

Barcool Bar25 LED - Mini Bar



Model	BAR25 LED
Cooling System	Thermoelectric
Temperature Range	5-15°C
Climate Class	N
Net Volume	19L
Energy Class	G
Noise (dB)	23dB
External Dimension	402Wx350Dx444H (mm)
Internal Dimension	297Wx185Dx325H (mm)
Packing Dimension	480Wx425Dx500H (mm)
Gross Weight	12.17KG
Net Weight	9.8KG
No of Shelf	1
Door Material	Foam/metal
Lighting (W)	0.5W
Input power (W)	58W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW

Barcool Bar30 LED - Mini Bar



Model	BAR30 LED
Cooling System	Thermoelectric
Temperature Range	5-15°C
Climate Class	N
Net Volume	24L
Energy Class	G
Noise (dB)	23dB
External Dimension	380Wx435Dx465H (mm)
Internal Dimension	272.8Wx280.7Dx341.3H (mm)
Packing Dimension	455Wx515Dx545H (mm)
Gross Weight	13.4KG
Net Weight	10.7KG
No of Shelf	2
Door Material	Foam/metal
Lighting (W)	0.5W
Input power (W)	58W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW

Barcool Bar40 LED - Mini Bar



Model	BAR40 LED
Cooling System	Thermoelectric
Temperature Range	5-15°C
Climate Class	N
Net Volume	33L
Energy Class	G
Noise (dB)	25dB
External Dimension	402Wx431Dx546H (mm)
Internal Dimension	299.4Wx266Dx410.4H (mm)
Packing Dimension	480Wx512Dx619H (mm)
Gross Weight	15KG
Net Weight	11.7KG
No of Shelf	2
Door Material	Foam/metal
Lighting (W)	0.5W
Input power (W)	58W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW

Barcool Bar50 LED - Mini Bar



Model	BAR50 LED
Cooling System	Thermoelectric
Temperature Range	5-15°C
Climate Class	N
Net Volume	40L
Energy Class	G
Noise (dB)	23dB
External Dimension	402Wx482Dx545H (mm)
Internal Dimension	293Wx315Dx420H (mm)
Packing Dimension	479Wx561Dx620H (mm)
Gross Weight	16.12KG
Net Weight	12KG
No of Shelf	2
Door Material	Foam/metal
Lighting (W)	0.5W
Input power (W)	58W
Refrigerant gas	R600a
Refrigerant grams	25g
Lock and Key	Yes
Certification	CE,ROHS,ERP,UKCA
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Eco Freezers Range



Subcold Eco35F Mini Freezer - Black



Model	ECO35F-BL
Cooling System	Freezer
Temperature Range	-18
Climate Class	SN/N/ST
Net Volume	30L
Energy Class	E
Noise (dB)	38dB
External Dimension	444Wx485Dx495H (mm)
Internal Dimension	340Wx360Dx340H (mm)
Gross Weight	18.4kg
Net Weight	16.1kg
No of Shelf	1
Door Material	SPCC
Input power (W)	70W
Wattage (W)	45W
Refrigerant gas	R600a
Refrigerant grams	30g
Lock and Key	No
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW

Subcold Eco Freezers Range



Subcold Eco35F Mini Freezer White



Model	ECO35F-WH
Cooling System	Freezer
Temperature Range	-18
Climate Class	SN/N/ST
Net Volume	30L
Energy Class	E
Noise (dB)	38dB
External Dimension	444Wx485Dx495H (mm)
Internal Dimension	340Wx360Dx340H (mm)
Gross Weight	18.4kg
Net Weight	16.1kg
No of Shelf	1
Door Material	SPCC
Input power (W)	70W
Wattage (W)	45W
Refrigerant gas	R600a
Refrigerant grams	30g
Lock and Key	No
Certification	CS/ROHS/ERP
Plugs included	BS
Warranty	1-Year

BUY NOW



Subcold Trek20 Portable Car Fridge



Model	TREK20
Cooling System	BX compressor cooling
Temperature Range	+24°C to -22°C
Climate Class	N
Net Volume	20L
Energy Class	D
Noise (dB)	35dB
External Dimension	663.5Wx346Dx345H (mm)
Internal Dimension	485Wx260Dx238H (mm)
Packing Dimension	690Wx410Dx405H (mm)
Gross Weight	15KG
Net Weight	13.5KG
Door Material	Plastic
Lighting (W)	0.7W
Input power (W)	45W
Voltage range	AC 100-240V / DC 12-24V
Refrigerant gas	R1234yf
Refrigerant grams	20g
Lock and Key	press SET in 3 seconds
Certification	CE,UKCA
Plugs included	DC cord and UK AC adaptor
Warranty	1-Year

BUY NOW



Subcold Trek32 Portable Car Fridge



Model	TREK32
Cooling System	BX compressor cooling
Temperature Range	+24°C to -22°C
Climate Class	N
Net Volume	32L
Energy Class	D
Noise (dB)	36dB
External Dimension	663.5Wx346Dx455H (mm)
Internal Dimension	485Wx260Dx348H (mm)
Packing Dimension	690Wx410Dx515H (mm)
Gross Weight	16KG
Net Weight	14.2KG
Door Material	Plastic
Lighting (W)	0.7W
Input power (W)	50W
Voltage range	AC 100-240V / DC 12-24V
Refrigerant gas	R1234yf
Refrigerant grams	24g
Lock and Key	press SET in 3 seconds
Certification	CE,UKCA
Plugs included	DC cord and UK AC adaptor
Warranty	1-Year

BUY NOW



www.subcold.com

sales@subcold.com

28/2 Firth Road
Houstoun Industrial Estate
Livingston, EH54 5DJ
United Kingdom